



# Monaco flex Assembly manual

## Umbrella components


- ① Umbrella main body 1pc
- ② Rotation part 1pc
- ③ Crank handle 1pc
- ④ # 6 Allen key 1pc
- ⑤ Assembly instruction 1pc
- ⑥ Cross base 1set
- ⑦ Bolts/Washer 4set



# BRIEF INTRODUCTION

## 1. Functions

- a. Free arm sunshade with backward and forward directions.
- b. The roof can be turned around the standing pole in 360° with releasing and locking the rotation base.
- c. Free arm sunshade with left and right directions.



### 2. Parts name


- ① Canopy
- ② Cap
- ③ Supporting rod
- ④ Slider
- ⑤ Crank handle
- ⑥ Driving handle
- ⑦ Mast Pole
- ⑧ Rotation part
- ⑨ Cross base(not included the slab)

## 2. Assemble the umbrella

Take out the umbrella main body and rotation part from the carton, remove the packing material. Use the #6 Allen key to remove the 2pcs M8 screws from the rotation part in the counterclockwise direction. Install crossbase with rotation part by #6 Allen key and 4sets bolts and washers. Install the umbrella onto the rotation part with umbrella roof and foot pedal of the rotation part on the same side. Lock the umbrella mast pole and rotation part together with locking the 2pcs screws in the clockwise way (a-1, a-2, a-3).

### ★ Caution

The Rotation part should be fixed properly on the base to avoid any damage or injure. It's important to choose a proper base to ensure the umbrella will be used in a safe condition. Consumers are suggested to use an overground base with a min. weight 120kg.




### 3. Open the umbrella

Untie the band on the canopy, then move the slider around 50cm upward, (this will help with easier operation).

Turn the crank in the clockwise direction to open the umbrella completely.

#### ★ Caution


Do not overexert on the crank after the umbrella being completely opened. Otherwise the umbrella might be damaged.



### 4. Tilt Function in left/ right direction.

Make sure the umbrella is fully opened and at the level position before operation. Pull the driving handle to the limiting position before moving the canopy to it's requested angle pull the umbrella ribend and at left right side. then put the driving handle to it's original place.

Reset: Pull the driving handle to it's limiting position, the canopy will be back by itself.




5. 360° Rotating function

Press down on the pedal of the Rotation part (a-8). Rotate the sunshade around the pole with 360 degrees to any desired angle (a-9).


★ Caution

Never leave this product in the open position over night or while away. Weather conditions causing gusting winds could result in damage to this product. If you notice excessive swaying or movement in windy conditions close the shade system.



6. Space requirement

Ensure there is enough space for operating the umbrella (c), normally, 4.5M\*4M\*2.8M (length/ width/ height). The height could reach 4M when the roof is in backward position. Make sure the umbrella is fully opened and at the level position before operation.



7. Care and maintenance

If necessary clean the parasol cloth with mild soap and water, rinse with clean water and let air dry. Always let the parasol dry completely before storing. When not in use, store the parasol, including the protection cover, at a wind free and dry location.